Hygeia Laboratories Inc.

82 W. Sierra Madre Blvd. Sierra Madre, CA 91024
(626) 355-4711 FAX: (626) 355-4497
www.hygeialaboratories.com

Asbestos Bulk Sample Data Log

COMPANY: _____

CONTACT: _____

SAMPLED BY: _____ DATE SAMPLED: _____

PROJECT #: _____

REFERENCE: _____

HYGEIA REFERENCE NUMBER: _____

FAX OPERATOR: Sample result(s) are URGENT, please deliver ASAP!!

To: _____

From: _____ Date: _____

ASBESTOS %

SAMPLE ID	SAMPLE LOCATION	MATERIAL DESCRIPTION	Non-Detected	Chrysotile	Amosite	Crocidolite	Other	COMMENTS

Preliminary results are subject to management review. A formal report will be mailed.

Hygeia Laboratories Inc.
82 W. Sierra Madre Blvd. Sierra Madre, CA 91024
(626) 355-4711 FAX: (626) 355-4497
www.hygeialaboratories.com

Asbestos Air Sample Data Log

COMPANY: _____

CONTACT: _____

SAMPLED BY: _____ DATE SAMPLED: _____

PROJECT #: _____

REFERENCE: _____

HYGEIA REFERENCE NUMBER: _____

FAX OPERATOR: Sample result(s) are URGENT, please deliver ASAP!!

To: _____

From: _____ Date: _____

SAMPLE ID	SAMPLE LOCATION	SAMPLE DESCRIPTION	SAMPLING TIME			FLOW RATE			AIR VOLUME (Liters)	RESULTS FIBERS/cc	COMMENTS
			START	STOP	TOTAL MINUTES	START	STOP	AVERAGE			

Prelminary results are subject to management review. A formal report will be mailed.

Hygeia Laboratories Inc.

82 W. Sierra Madre Blvd. Sierra Madre, CA 91024
(626) 355-4711 FAX: (626) 355-4497
www.hygeialaboratories.com

Lead Bulk Sample Data Log

COMPANY: _____

CONTACT: _____

SAMPLED BY: _____ DATE SAMPLED: _____

PROJECT #: _____

REFERENCE: _____

HYGEIA REFERENCE NUMBER: _____

FAX OPERATOR: Sample result(s) are URGENT, please deliver ASAP!!

To: _____

From: _____ Date: _____

SAMPLE ID	SAMPLE LOCATION	MATERIAL DESCRIPTION	COMMENTS

Preliminary results are subject to management review. A formal report will be mailed.

Hygeia Laboratories Inc.
82 W. Sierra Madre Blvd. Sierra Madre, CA 91024
(626) 355-4711 FAX: (626) 355-4497
www.hygeialaboratories.com

Lead Air Sample Data Log

COMPANY: _____

CONTACT: _____

SAMPLED BY: _____ DATE SAMPLED: _____

PROJECT #: _____

REFERENCE: _____

HYGEIA REFERENCE NUMBER: _____

FAX OPERATOR: Sample result(s) are URGENT, please deliver ASAP!!

To: _____

From: _____ Date: _____

SAMPLE ID	SAMPLE LOCATION	SAMPLE DESCRIPTION	SAMPLING TIME			FLOW RATE			AIR VOLUME (Liters)	COMMENTS
			START	STOP	TOTAL MINUTES	START	STOP	AVERAGE		

Prelminary results are subject to management review. A formal report will be mailed.

Hygeia Laboratories Inc.

82 W. Sierra Madre Blvd. Sierra Madre, CA 91024
(626) 355-4711 FAX: (626) 355-4497
www.hygeialaboratories.com

Lead Wipe Sample Data Log

COMPANY: _____

CONTACT: _____

SAMPLED BY: _____ DATE SAMPLED: _____

PROJECT #: _____

REFERENCE: _____

HYGEIA REFERENCE NUMBER: _____

FAX OPERATOR: Sample result(s) are URGENT, please deliver ASAP!!

To: _____

From: _____ Date: _____

SAMPLE ID	SAMPLE LOCATION	MATERIAL DESCRIPTION	AREA *SQ. FT. or SQ. CM.*	COMMENTS

Preliminary results are subject to management review. A formal report will be mailed.

Hygeia Laboratories Inc.

82 W. Sierra Madre Blvd. Sierra Madre, CA 91024
(626) 355-4711 FAX: (626) 355-4497
www.hygeialaboratories.com

Water Sample Data Log

COMPANY: _____

CONTACT: _____

SAMPLED BY: _____ DATE SAMPLED: _____

WASTE WATER: ☐ TIME SAMPLED: _____

DRINKING WATER: ☐ SAMPLE CONDITION*: _____

PROJECT #: _____

RERFERENCE: _____

HYGEIA REFERENCE NUMBER: _____

FAX OPERATOR: Sample result(s) are URGENT, please deliver ASAP!!

To: _____

From: _____ Date: _____

SAMPLE ID	SAMPLE LOCATION	MATERIAL DESCRIPTION	SAMPLE VOLUME (Milliliters or Liters)	COMMENTS

***The lab must receive water samples in chilled condition within 48 hours of collection.**

Preliminary results are subject to management review. A formal report will be mailed.